pubinfo news

2016-02-12

- Added extraction of data from table COMMITTEE_AGENDA_TBL.
- The following files were modified in pubinfo_load.zip.
 - capublic.sql
 - committee_agenda_tbl.sql
 - o tables_lc.lst
 - tables_uc.lst
 - o truncateAll.sql
- The following files were added to pubinfo_load.zip.
 - o truncateDaily.sh
 - o loadData.sh
 - o truncateAll.sh
 - o create_capublic.sh
 - o deleteSession.sh
- The file pubinfo_Readme.pdf was modified to delete MySQL install instructions.

2015-09-15

- Created new daily extract of all the current session records in the following tables.
 - BILL_ANALYSIS_TBL
 - BILL_DETAIL_VOTE_TBL
 - BILL_HISTORY_TBL
 - BILL_MOTION_TBL
 - BILL_SUMMARY_VOTE_TBL
 - BILL_TBL
 - BILL_VERSION_AUTHORS_TBL
 - BILL_VERSION_TBL
 - COMMITTEE_HEARING_TBL
 - DAILY_FILE_TBL
 - LEGISLATOR_TBL
 - LOCATION_CODE_TBL
 - VETO MESSAGE TBL
- The extract files will be named:
 - o pubinfo daily Mon.zip
 - o pubinfo daily Tue.zip
 - pubinfo daily Wed.zip
 - pubinfo daily Thu.zip
 - o pubinfo daily Fri.zip
 - pubinfo daily Sat.zip
 - pubinfo_daily_Sun.zip

2012-05-10

_

- Added new table.
 - veto_message_tbl

pubinfo news

- See changes_diff.txt for all file changes.

If you get the following error when loading data:

ERROR 1301 (HY000) at line 1: Result of load_file() was larger than max allowed packet (1,048,576) – truncated

Then add the following to your my.ini or my.cfg MySQL config file after the [mysqld] section.

innodb_file_per_table max_allowed_packet=32M

2011-04-27

- Updated various files. See changes_diff.txt for all changes.
 - Look at http://en.wikipedia.org/wiki/Diff for description of diff output format in changes diff.txt.
- Updated capublic_create.sql to add some columns to tables. See changes_diff.txt.
- Updated * TBL.sql tables to use lowercase table name (for linux compatibility).
- Updated .bat files. See changes diff.txt.
- Updated to truncate table before any load:
 - o codes_tbl.sql
 - o law_section_tbl.sql
 - o law_toc_sections_tbl.sql
 - o law_toc_tbl.sql
- Created deleteSession.bat to delete session year data.
- Created truncateDaily.bat to truncate some tables before adding daily data.
- Created new session extract archives with data in the new fields for all the session years.

Notes:

- 1. Since deleted records are not carried over in the download data and to prevent duplicate records from accumulating in the tables you should do the following every Sunday:
 - a. Run the deleteSession.bat to delete the current session records.
 - b. Load the current session data.
- You will also need to add innodb_file_per_table to the my.ini file for windows or my.cnf file for Linux, in the [mysqld] section. This will prevent your MySQL ibdata1 file from growing each time you delete and add records. The MySQL InnoDB engine does not reclaim deleted space.
- 3. Some unzip programs will not extract all of the files from the zip archive and will not give you a warning. We are using Windows OS recommend using 7zip instead.

2010-12-23

- Changed session year to start in December instead of January of the session year. So now session year 2011 starts in December 1, 2010.
- Fixed problem with CR in the data field of some records.
- The following files have been added or updated:
 - a. pubinfo_news.txt Updated
 - i. This file is used to inform you of new changes.
 - b. pubinfo_load.zip
 - c. BILL_TBL.sql Updated
 - i. Added field DAYS_31ST_IN_PRINT.
 - d. BILL_DETAIL_VOTE_TBL.sql Updated
 - i. Added field MEMBER_ORDER.
 - e. capublic.sql Updated
 - i. Added fields DAYS_31ST_IN_PRINT & MEMBER_ORDER.
 - f. capublic_add.sql New
 - i. Updates DB tables to add new fields DAYS_31ST_IN_PRINT & MEMBER_ORDER.
 - g. loadData.bat Updated
 - i. Updated to only load existing data files.

Notes:

- 1. If you want all the records to have data in the new added fields you need to:
 - a. Delete all table records by running truncateAll.sql
 - b. Add the new fields to the database by running capublic_add.sql
 - c. Reload all of your records again from the downloaded zip files.
- 2. If you only want your records added from now on to have data in the new fields:
 - a. Run the capublic_add.sql to add the new fields to the database.
- 3. Remeber that all files must run from the cmd window on a Windows OS:
 - a. files that end with .sql must be run with in the following manner (replace %pwd% with your database password):
 - b. mysql -uroot -p%pwd% -hlocalhost -P3306 -v -v -f < truncateAll.sql
 - c. files that end with .bat can be run by entering the name
 - i. Example: cleanup.bat

2009-05-01

The export of the data has been split by session year and daily updates.

The following files have been added or updated:

pubinfo News.txt - New - This file is used to inform you of new changes.
pubinfo Readme.txt - Updated - Changed file names and minor instructions.
pubinfo Readme.pdf - Updated - Changed file names and minor instructions.
pubinfo_load.zip - Updated - Changed table names in SQL files to lower
case to work with linux.
pubinfo_1989.zip - New - Data for 1989-1990 session year.
pubinfo_1991.zip - New - Data for 1991-1992 session year.
pubinfo_1993.zip - New - Data for 1993-1994 session year.
pubinfo_1995.zip - New - Data for 1995-1996 session year.
pubinfo_1997.zip - New - Data for 1997-1998 session year.
pubinfo_1999.zip - New - Data for 1999-2000 session year.
pubinfo_2001.zip - New - Data for 2001-2002 session year.
pubinfo_2003.zip - New - Data for 2003-2004 session year.
pubinfo_2005.zip - New - Data for 2005-2006 session year.
pubinfo_2007.zip - New - Data for 2007-2008 session year.
pubinfo_2009.zip - New - Data for 2009-2010 session year.
pubinfo_2011.zip - New - Data for 2011-2012 session year.

pubinfo_Full.zip - Deleted - File is no longer needed.